

HEAVY DUTY LOADERS, TRAILERS & ATTACHMENTS. Designed & manufactured in the United Kingdom.

Power to **Spare**



We operate a **nationwide fleet** of regional engineers in well-stocked service vans to deliver our **Advanced Service Commitment**.

What support is in place?

- * A fleet of 7 well-stocked regional service vans and product-trained engineers.
- * Rapid access to our UK factory stock of parts (next day on 95% of parts).
- * Access to market leading warranty coverage, in term length and cover.
- * A customer support department ready to handle your enquiries.
- * Access to fixed price servicing and repair using official parts.
- * Opportunities to arrange LANTRA training and certification.
- * Easy upgrade options, when you're ready for something new.

Heavy duty machines, with heavy duty support!









The 580 is our longest reaching loader. This model incorporates a telescopic double extension, taking the reach to 8 metres.

The 580 gives additional flexibility when feeding a chipper or working where long reach is an advantage.

It is ideally suited for those who require a unit mounted on the roof of their Valtra tractor.



The 570 is fast becoming the most popular loader in the Botex heavy duty range.

It delivers the same heavyduty lift as the 560, with the added benefit of additional reach.

This loader will comfortably load a trailer capable of carrying two bays of 3m timber. This loader is fitted to our XL PRO-14 and GR-15 trailers as standard.



The first in our range of heavy-duty loaders.

This has been the best selling loader in the Botex range for many years.

This loader is mounted to our Euro-II trailer as standard, and is a popular option for roof mounting onto Valtra tractors.



360

The 360 is our entry level loader which can be supplied with or without 3-point linkage mounting.

This loader is powered by the tractor's hydraulics, and as such the tractor's PTO is left accessible to allow other machinery to run.

This loader is generally fitted to our Eco-8 or GR-8 trailers or sold in conjunction with a crane fed chipper.

| Specification | 580 | 570 | 560 | 360 |
|-----------------------------------|------|------|------|------|
| Max. Reach (Metres) | 8 | 6.75 | 6 | 6 |
| Boom Extension (Metres) | 3.3 | 1.5 | 1.3 | 1.3 |
| Lift Capacity, Close-In (kg) | 1750 | 2000 | 2000 | 1000 |
| Lift Capacity, at 4 Metres (kg) | 1120 | 1120 | 1120 | 600 |
| Lift Capacity, at Full Reach (kg) | 395 | 550 | 700 | 400 |
| Slewing Angle | 370° | 370° | 370° | 370° |
| Rotator Type | 6 T | 6 T | 6 T | 3 T |
| Grapple Opening (cm) | 145 | 145 | 145 | 111 |

Loader Controls

Whatever your application, we have a range of controls available to suit your requirements.

Our in-house team can provide the best suited control system to link your base machine with your chosen loader.













The largest trailer in our range. The GR-15 can easily carry two bays of 3m timber. The large '600' tyres make travelling over soft and uneven terrain much easier.



XL PRO-14

Fast becoming the bestselling trailer. It benefits from a rear extension to carry two bays of 3m timber, whilst retaining the ability to have a shorter trailer in the wood



GR-12 DRIVE

A hydraulic cage driven unit designed for UK/Irish forests, with a size & ability which is suited to our local conditions. A hydraulic headboard adds precise weight distribution.



GR-12

New for 2020, this unit has been designed for UK & Irish forests. Strong, nimble and flexible. A hydraulic headboard adds precise weight distribution.



EURO-11

Robust, heavy duty all-rounder. We have sold hundreds of these across the UK & Ireland. Steering drawbar, lights and removable pins as standard.



GR-8

Compact & manoeuvrable. Hydraulic brakes, steering drawbar, swivel bolster pins and rear LED lights all as standard equipment.



ECO-8

A compact trailer suitable for small agricultural or estate tractors. This is a fixed drawbar version of the GR-8.



Why don't you use your current trailer towards payment of your new one? We will make you an offer as part-exchange!

| Enterior Enterior | | standard equipment. | | | | part extriarise. | |
|------------------------------------|-----------------|---------------------|-----------------|-----------------|-----------------|------------------|-----------------|
| Specification | GR-I5 | XL PRO-14 | GR-12 DRIVE | GR-12 | EURO-II | GR-8 | ECO-8 |
| Max Load (kg) | 15,000 | 12,000 | 12,000 | 12,000 | 11,000 | 8,000 | 8,000 |
| Load Space Area (m²) | 2.9 | 2.5 | 2.65 | 2.65 | 2.7 | 2.2 | 2.2 |
| Total Length (mm) *Extended | 7140 (7940*) | 7140 (7940*) | 6610 | 6610 | 6230 | 5935 | 5935 |
| Total Width (mm) | 2440 | 2270 | 2425 | 2425 | 2190 | 2175 | 2175 |
| Load Area Length (mm) *Extended | 4770 (5770*) | 4770 (5770*) | 3920 (4520*) | 3920 (4520*) | 4085 | 3850 | 3850 |
| Bunks/Posts | 4/8 (5/10*) | 4/8 (5/10*) | 4/8 | 4/8 | 4/8 | 4/8 | 4/8 |
| Wheel Size | 600/50/ 22.5 | 500/50/ 17 | 560/45/ 22.5 | 560/45/ 22.5 | 400/60/ 15.5 | 400/60/ 15.5 | 400/60/ 15.5 |
| Loader Options | 570/580 | 570/580 | 560/570/580 | 560/570/580 | 560/570/580 | 360 | 360 |
| Drawbar Type | Steering | Steering | Steering | Steering | Steering | Steering | Fixed |
| Brakes | 4 Wheel | 4 Wheel | 4 Wheel | 4 Wheel | 2 Wheel | 2 Wheel | 2 Wheel |



We can mount a Botex 500 series loader directly onto our Botex purpose-built forestry guarded roof frame designed to fit Valtra tractors. This system retains full use of the tractors 3-point linkage and PTO. This allows the tractor to run PTO machines such as a wood chipper or firewood processor. A popular option for Estates, Councils, Tree Surgeons, Contractors and Firewood Producers.

Our latest 'Vision' frame offers incredible panoramic views of the working area! See below.



rs, Guarding &



TIMBER GRABS

We stock a range of grabs to suit most applications and base machines.

Various sizes are stocked, up to a 145cm max opening unit.



GRAB, ROTATOR & HITCH

We can provide a complete grab and rotator set-up for your excavator. This is supplied with a bespoke hitch to suit your base machine.



THE YARD MASTER

A two-in-one tool, which as the name suggests is ideal for timber yards. Comprising of a rotating Botex timber grab & a Lasco cone splitter.



LOG BEAK

An attachment most suited to a Tele-Handler or Tractor front end loader. The Botex Log Beak offers a heavy duty option for timber handling.



A cost-effective option for site We have a stock of quality clearance works and timber extraction in narrow access or soft ground sites.



3PL GRAPPLE SKIDDER FORESTRY TRACTORS

used Valtra tractors which pass through our workshops, prior to sale with warranty.



Whether we supply the Valtra A 1.6T radio controlled winch tractor or it's one you've sourced, we can fit forestry guarding to offer protection.



designed for fitment to your timber loader to haul timber into reach of the loader.

JAS P WILSO

The one stop forestry shop!















